

according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

2-Pentanol, 250 ml

CAS No: 6032-29-7 Index No: 603-006-00-7 EC No: 227-907-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: Xn - Harmful, Xi - Irritant

R phrases: Flammable.

Harmful by inhalation.

Irritating to respiratory system.

Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 4

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour.

Harmful if inhaled.

May cause respiratory irritation.

2.2. Label elements

Hazardous components which must be listed on the label

pentanol isomers, with the exception fo those specified elsewhere in this Annex



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 2 of 8

Signal word: Warning
Pictograms: GHS02-GHS07





Hazard statements

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: C5H12O Molecular weight: 88,15

Hazardous components

| EC No | Chemical name | Quantity |
|--------------|---------------------------------------------------------------------------------|----------|
| CAS No | Classification according to Directive 67/548/EEC | |
| Index No | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
| 250-378-8 | pentanol isomers, with the exception fo those specified elsewhere in this Annex | 100 % |
| - | Xn - Harmful, Xi - Irritant R10-20-37-66 | |
| 603-006-00-7 | Flam. Liq. 3, Acute Tox. 4, STOT SE 3; H226 H332 H335 EUH066 | |

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of troubles or persistent symptoms, consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 3 of 8

Suitable extinguishing media

Water. Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition.

- No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 4 of 8

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless

Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Initial boiling point and boiling range:

Sublimation point:

No data available

Softening point:

No data available

Flash point:

34 °C

Flammability

Solid: No data available
Gas: No data available
Lower explosion limits: 1,2 vol. %
Upper explosion limits: 9 vol. %
Ignition temperature: No data available

Auto-ignition temperature

Solid: No data available Gas: No data available Vapour pressure: No data available Vapour pressure: No data available 0,812 g/cm³ Density (at 25 °C): Water solubility: No data available Partition coefficient: No data available Viscosity / dynamic: No data available No data available Viscosity / kinematic: No data available Flow time: Vapour density: 3.04 No data available Evaporation rate: Solvent separation test: No data available No data available Solvent content:

9.2. Other information



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 5 of 8

Solid content: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, inhalant.

| CAS No | Chemical name | | | | | |
|--------|---------------------------------------------------------------------------------|--------|----------|---------|--------|--|
| | Exposure routes | Method | Dose | Species | Source | |
| - | pentanol isomers, with the exception fo those specified elsewhere in this Annex | | | | | |
| | inhalative vapour | ATE | 11 mg/l | | | |
| | inhalative aerosol | ATE | 1,5 mg/l | | | |

Irritation and corrosivity

Following inhalation: Lung irritation. Coughing. shortage of breath.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

Has degreasing effect on the skin. Frequently or prolonged contact with skin may cause dermal irritation.

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 6 of 8

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN110514.2. UN proper shipping name:PENTANOLS

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



according to Regulation (EC) No 1907/2006

| | 2-Pentanol, 250 ml | |
|------------------------|-----------------------|-------------|
| Print date: 15.04.2015 | Product code: 9991771 | Page 7 of 8 |

Classification code: F1
Limited quantity: 5 L
Transport category: 3
Hazard No: 30
Tunnel restriction code: D/E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number:UN110514.2. UN proper shipping name:PENTANOLS14.3. Transport hazard class(es):3

14.4. Packing group:

Hazard label:
Classification code:
Limited quantity:

III

5 Limited group:

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number:UN110514.2. UN proper shipping name:PENTANOLS

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:223Limited quantity:5 LEmS:F-E, S-D

Other applicable information (marine transport)

F1

Air transport (ICAO)

14.1. UN number:UN110514.2. UN proper shipping name:PENTANOLS

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3Special Provisions:A3Limited quantity Passenger:10 L

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

Other applicable information (air transport)

E1 : Y344

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information



according to Regulation (EC) No 1907/2006

2-Pentanol, 250 ml

Print date: 15.04.2015 Product code: 9991771 Page 8 of 8

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

10 Flammable.

20 Harmful by inhalation.

37 Irritating to respiratory system.

Repeated exposure may cause skin dryness or cracking.

Relevant H- and EUH-phrases (Number and full text)

H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

EUH066 Repeated exposure may cause skin dryness or cracking.